

Certificate



Intertek

for European Product Safety

Reference No. 1519130

Appliance inlet for industrial purposes

Type designation *63BS**, *63BU**, *63BS**W, *63BU**W

Certificate holder **ABB AB Cewe
Arnöleden 2
611 31 Nyköping
SWEDEN**

The product complies with the standard(s) EN 60309-1:1999 + A1 + A2
EN 60309-2:1999 + A1 + A2

Date of expiry 19 February 2021

EU Directive information The product satisfies the provisions for CE marking according to the Low Voltage Directive 2006/95/EC.

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification

Place Kista - Stockholm

Signed


Pär Iggström

Date 25 November 2015
Page 1 of 7

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

BSE

RF



Intertek Appendix

Reference No. 1519130

Technical data

Type designation	*63BS** series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	44
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	2P+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*63BS** series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	44
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	3P+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 5h, 6h, 7h, 9h and 11h
Type designation	*63BS** series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	44
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	3P+N+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 5h, 6h, 7h, 9h and 11h

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

**Intertek**
Appendix*Reference No. 1519130*

<i>Type designation</i>	*63BU** series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	2P+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 6h, 9h and 12h
<i>Type designation</i>	*63BU** series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	3P+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 5h, 6h, 7h, 9h and 11h
<i>Type designation</i>	*63BU** series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	44
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	3P+N+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 5h, 6h, 7h, 9h and 11h

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

BSE

Ref

**Intertek**
Appendix*Reference No. 1519130*

<i>Type designation</i>	*63BS**W series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	2P+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 6h, 9h and 12h
<i>Type designation</i>	*63BS**W series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	3P+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 5h, 6h, 7h, 9h and 11h
<i>Type designation</i>	*63BS**W series
<i>Rated voltage (V)</i>	Rated operating voltages for different position of earthing contact according to table below
<i>Rated current (A)</i>	63
<i>IP-Class</i>	67
<i>Standard sheet</i>	60309-2/2-IVa
<i>Trade mark</i>	ABB
<i>Product information</i>	3P+N+E, rewirable, screw-type terminals.
<i>Position of earthing contact</i>	1h, 4h, 5h, 6h, 7h, 9h and 11h

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Intertek Appendix

Reference No. 1519130

Type designation	*63BU**W series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	67
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	2P+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 6h, 9h and 12h
Type designation	*63BU**W series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	67
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	3P+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 5h, 6h, 7h, 9h and 11h
Type designation	*63BU**W series
Rated voltage (V)	Rated operating voltages for different position of earthing contact according to table below
Rated current (A)	63
IP-Class	67
Standard sheet	60309-2/2-IVa
Trade mark	ABB
Product information	3P+N+E, rewirable, screw-type terminals.
Position of earthing contact	1h, 4h, 5h, 6h, 7h, 9h and 11h

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

BSE

Ref



Reference No. 1519130

Type reference key

* number of contacts

2 = 2P+E

3 = 3P+E

4 = 3P+N+E

** earthing contact position

Type	Frequency Hz	Rated operating voltage V	Earthing-contact position
263 versions	All rated operating voltage and/or frequencies not covered by other earthing contact position configurations		1
	50 and 60	100 to 130	4
		200 to 250	6
		380 to 415	9
		Supply from an isolating transformer	12
363 versions	All rated operating voltage and/or frequencies not covered by other earthing contact position configurations		1
	50 and 60	100 to 130	4
		600 to 690	5
		380 to 415	6
		480 to 500	7
		200 to 250	9
	60	440 to 460	11
463 versions	All rated operating voltage and/or frequencies not covered by other earthing contact position configurations		1
	50 and 60	57/100 to 75/130	4
		347/600 to 400/690	5
		200/346 to 240/415	6
		277/480 to 288/500	7
		120/208 to 144/250	9
	60	250/440 to 265/460	11

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

BSE

per



Reference No. 1519130

This certificate, which includes production control, constitutes sufficient support for an EC Declaration of Conformity and CE marking, according to the principle of presumption of conformity, of the product according to the Low Voltage Directive 2006/95/EC.

This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

This certificate replaces previously issued ref. No. 1025735 dated 19 February 2013.

Manufacturing site(s) ABB s.r.o. Elektro-Praga
Resslova 3
CZ- 466 02 Jablonec nad Nisou
CZECH REPUBLIC

Certification Body Intertek Semko AB, Product Certification **Place** Kista - Stockholm

Signed  **Date** 25 November 2015
Pär Iggström

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.