

Doc. no. 1SBD250097E1000

Rev. ind. A

Date 2002-05-27

From Jean-Pierre PELLISSIER

Dept. FRCTL

Phone +33 (0) 4 72 22 17 35 Fax +33 (0) 4 72 22 19 35 E-mail jean-pierre.pellissier@fr.abb.com

# **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial  $^{\rm IT}$  Enabled level 0.

Product name	Limit Switches LS45P				
ABB Identity number	1SBV012400Rxxxx, 1SBV012441Rxxxx, 1SBV012442Rxxxx, 1SBV012443Rxxxx, 1SBV012444Rxxxx, 1SBV012451Rxxxx, 1SBV012452Rxxxx, 1SBV012453Rxxxx, 1SBV012454Rxxxx, 1SBV012461Rxxxx, 1SBV012462Rxxxx, 1SBV012471Rxxxx, 1SBV012472Rxxxx, 1SBV012491Rxxxx, 1SBV012492Rxxxx, 1SBV012493Rxxxx				
Information provided by	Jean-Pierre PELLISSIER				
(Name and e-mail address)	Jean-pierre.pellissier@fr.abb.com				
Business area	Low Voltage Products - ATLV				
Date	May 2002				

### 1. Related documents

Industrial IT Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial <sup>IT</sup> Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

# Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

# Group Function Sustainability Affairs

Doc. no. 1SBD250097E1000

Rev. ind. A

Date 2002-05-27

### 2. Environmental Information

## 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	<b>Quantity/unit</b> Optional <sup>(1)</sup>
Lead	Batteries, cables	X		< 0,05%
Cadmium	Batteries, switches, additive in lead		X	
Mercury	Batteries, switches		X	
Beryllium	Contact springs		X	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		×	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		X	
SF6, sulphurhexafluoride	Breakers		X	
Polyvinyl chloride, PVC	Cables		X	

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

# 2.1.1 Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:						
	< 1 dm <sup>2</sup>					
	1-10 dm <sup>2</sup>					
	$> 10 \text{ dm}^2$					
X	No printed circuit boards used in the product					

1SBD250097E1000

Doc. no.

							Rev. ind. Date	A 2002-05-27	
2.2 Recycli	ng infor	mation							
	ls red	cycling in	formation	on for the	e produc	t available?			
☐ Yes Ref. Document:									
	X	No							
		, please rial is pr		in the ta	ıble belo	w, the comp	onent/pai	rt/physical pos	ition where the
Material			Com	ponent/p	part/phy	sical positi	on		
Lead			Contac	ct support					
Cadmium			No						
Mercury			No						
Beryllium			No						
Brominated flame retardants		No							
HCFCs		No No							
SF6, sulphurhexafluoride Polyvinyl chloride, PVC			No						
2.3 Energy		d/or loss	es durin	ng the op	eration o	of the produ	ct		
		ergy use mentatio		losses d	luring op	eration of th	e product	specified in th	ne product
		No							
		No							
	X	Not re	elevant						