

VALUE PROPOSITION

ST200M – UL 1077 miniature circuit breakers

The next generation of supplementary protection



ABB miniature circuit breakers:

- Clear faults in less than half a cycle, making them current limiting
- Range in amperage from 0.2 to 100 A
- Have interrupt ratings from 6 kA to 50 kA
- Offer universal or specific versions for AC and DC
- Have a wide range of accessories

Greater efficiency

- Up to 10 kA at 480Y/277 V AC
- Increased reference temperature of 40 °C
- DC rated for 60 V single pole, 125 V multi-pole
- Global markings, approvals according to UL, CSA and IEC
- 5 trip curves with an extended range of ampacities
- Reduction in SKUs by replacing two existing product lines

Following the launch of the SU200M, ABB's newest generation of UL 489 MCBs, the new generation of UL 1077 MCBs provides a broad range of options.

Like the SU200M, the ST200M is a global product range with UL and IEC approvals. However, it has been tailored to meet the needs and demands of the US and Canadian markets.

Visible durability

- Enhanced thermoplastic housing
- Durable laser-printed product information for easy identification
- Most important product information visible
 even when installed

Functional continuity

- Compatible with current ABB UL 1077 accessories
- Profile matches other modular DIN rail components
- Additional range of UL 508 busbars available later in 2018

ST200M – UL 1077 miniature circuit breakers

Technical details



Specifications	
Voltage	480Y/277 V AC; 240 V AC ; 60/125 V DC
Amperage	0.2 to 63; trip curves B, C, D, K, Z
Interrupting capacity	UL: 10 kA (≤ 32 A) / 5 kA (35–63 A) at 480Y/277 V AC; 10 kA at 240 V AC and 60/125 V DC
Standards	UL 1077, CSA 22.2 No. 235, IEC/EN 60947-2
Approvals	UL, CSA, VDE, CCC, EAC, ABS
Housing	Enhanced thermoplastic material
Markings	Laser printed
Accessories	Busbars, auxiliary contacts, signal contacts, shunt trip, undervoltage release, locking devices
Contact position indicator	Green/red (off/on)

ABB Inc. Electrification Products 860 Ridge Lake Blvd. Memphis, TN 38120

abb.com/lowvoltage

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB Inc. does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB Inc. Copyright© 2018 ABB All rights reserved