

Doc. no. 2CDU 505 140 D0201

Rev. ind. 01

Date 2012-10-30
From Peter Heilig
Dept. DESTO/GT

Phone +49 6221 701-727 Fax +49 6221 701-355

E-mail peter.heilig@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	SA/S 8.16.2.1 Switch Actuator, 8-fold, 16 A, MDRC
ABB Identity number	, , ,
TOD Identity Humber	2CDG 110 161 R0001
	2CDG 110 161 R0011
	2CDG 110 161 R0021
Information provided by	Peter Heilig
(Name and e-mail address)	peter.heilig@de.abb.com
Business area	Low Voltage Products – ATAP
Date	2012-10-30

1. Related documents

Industrial $^{\mbox{\scriptsize IT}}$ Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial ^{IT} Certification Guideline, 3BSE024526

Industrial T Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Group Function Sustainability Affairs

Doc. no. 2CDU 505 140 D0201

Rev. ind. 0

Date 2012-10-30

1. Environmental Information

1.0 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit Optional ⁽¹⁾
Lead	Batteries, cables, solder		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		*	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

1.0.0Printed circuit boards

Specify the amount of printed circuit board	s used in the product by	declaring the total
board surface:		

	< 1	dm²
--	-----	-----

 \checkmark 1 - 10 dm²

 \Box > 10 dm²

☐ No printed circuit boards used in the product

Doc. no. 2CDU 505 140 D0201

Rev. ind. 01

Date 2012-10-30

	1.0	Recycling	information
--	-----	-----------	-------------

SF6, sulphurhexafluoride Polyvinyl chloride, PVC

	15 160	ycing in	normation for the product available?
		Yes	Ref. Document:
	✓	No	
		please rial is pre	specify, in the table below, the component/part/physical position where the esent:
Material			Component/part/physical position
Lead			
Cadmium			
Mercury			
Beryllium			
Brominated flam	e retard	ants	
HCFCs			

3.0 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

✓	Yes	Ref. Document : Technical data sheet
	No	
	Not re	elevant