

Doc. no. 2CDU 508 129 D0201

Rev. ind. 01

Date 2013-11-15
From Peter Heilig
Dept. DESTO/GT

Phone +49 6221 701-727 Fax +49 6221 701-355

E-mail peter.heilig@de.abb.com

#### **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial <sup>IT</sup> Enabled level 0.

Product name	FCL/S 1.6.1.1 Blower Actuator, 1-fold, 6A, MDRC
ABB Identity number	2CDG 110 163 R0001
	2CDG 110 163 R0011
	2CDG 110 163 R0021
Information provided by	Peter Heilig
(Name and e-mail address)	peter.heilig@de.abb.com
Business area	Low Voltage Products – ATAP
Date	2013-11-15

## 1. Related documents

Industrial <sup>IT</sup> Architecture - Introduction and Definitions, 3BSE023904

Industrial <sup>IT</sup> Certification Overview, 3BSE023905

Industrial <sup>IT</sup> Certification Guideline, 3BSE024526

Industrial T Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

#### Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

# Group Function Sustainability Affairs

Doc. no. 2CDU 508 129 D0201

Rev. ind. 01

Date 2013-11-15

## 2. Environmental Information

## 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit
				Optional <sup>(1)</sup>
Lead	Batteries, cables, solder		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		<b>✓</b>	
Brominated flame retardants, e.g:	Additive in plastics or rubber		<b>√</b>	
PBB, PBDE, TBBPA				
HCFCs, e.g:	Cooling media		✓	
R 22, R 123, R 141b				
SF6, sulphurhexafluoride	Breakers		<b>√</b>	
Polyvinyl chloride, PVC	Cables		✓	

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

### 2.1.1Printed circuit boards

Specify the amount of printed	circuit boards	used in the	product by	declaring t	he total
board surface:					

 $\checkmark$  < 1 dm<sup>2</sup>

 $\Box$  1 - 10 dm<sup>2</sup>

 $\Box$  > 10 dm<sup>2</sup>

☐ No printed circuit boards used in the product

Doc. no. 2CDU 508 129 D0201

Rev. ind. 01

Date 2013-11-15

2.2 Recycling information	2.2	Recycling	informa	tion
---------------------------	-----	-----------	---------	------

2.2 1	Jy Oili i	9 11110	imation
	ls red	cycling in	formation for the product available?
		Yes	Ref. Document:
	✓	No	
		, please : rial is pre	specify, in the table below, the component/part/physical position where the esent:
Material			Component/part/physical position
Lead			
Cadmium			
Mercury			
Beryllium			
Brominated flame retardants		lants	
HCFCs			
SF6, sulphurhe	exafluorid	е	
Polyvinyl chloride, PVC			
3.0 Ene	ergy ι	ıse ar	nd/or losses during the operation of the product
		ergy use mentatio	and/or losses during operation of the product specified in the product on?
	✓	Yes	Ref. Document : Technical data sheet
		No	
		Not re	elevant