

Exit LED Quickfit® Signature exit LED Quickfit theatre mask



Range

Signature range

Product group

Exit LED Quickfit®

Features

- 3 year warranty
- LED technology 100,000 hours lamp life
- Advanced pulsetime dual rate battery charger with high temperature NiCad batteries
- Quickfit® unique steel slide connect bracket for quick installation and easy maintenance
- Universal wall/ceiling mounting, can also be rod or wire suspended
- Retrofit capability; fits into any existing Quickfit mounting bracket



Standard products

Catalogue no.	Description
PQFBLED-1	LED Quickfit theatre mask single sided picto exit
PQFBLED-2	LED Quickfit theatre mask single sided <picto exit
PQFBLED-3	LED Quickfit theatre mask single sided picto> exit
PQFBLED-5	LED Quickfit theatre mask double sided picto exit
PQFBLED-6	LED Quickfit theatre mask double sided picto AOW exit

Spare parts

Catalogue no.	Description
03-01218	Battery 4 cell NiCad 4.8V 1.8Ah

Dimensions

Length	Width	Height (incl. bracket)
379mm	72mm	214mm

Weight

Model	Weight
Standard	1.8kg

Construction

Part	Construction
Body and diffuser	Polycarbonate
Bracket	Black powder coated zinc steel

Light source

Model	Light source
Standard	Multiple LED 1.6W

Power consumption

Model	Power consumption
Standard	3.6W

Note: Designed to comply with AS2293 and meet relevant Australian EMC standards

For more information please contact:

ABB Australia Pty Limited

Phone: 1300 666 595

Fax: 1300 666 594

E-mail: AU-ABB-Stanilite@abb.com

www.stanilite.com.au

Note: We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilisation of its contents – in whole or in parts – is forbidden without prior written consent of ABB.

Copyright © 2016 ABB
All rights reserved