

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L225502-13-13807102-1  
**Report Reference** E225502-20170831  
**Date** 6-Aug-2021

**Issued to:** ABB Oy, Distribution Solutions  
Muottitie 2A  
PO Box 699 Vaasa  
Finland 65101

**This is to certify that representative samples of** NRGU - Protective Relays  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08, IEEE C37.90.1, Issue Date: 2012-08-30, IEEE C37.90.2, 1st Ed., Issue Date: 2004-09-24

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L225502-13-13807102-1  
**Report Reference** E225502-20170831  
**Date** 6-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<b>5.0 Series</b> , H or 1 followed by AD, followed by D, or E, followed by A, D or F, followed by A, B, E or F, followed by A, followed by D, G, or H, followed A, B, or N, followed by any letter A through Q, followed by A, B, C, D, E, F, G or H, followed by any alphanumeric character, followed by B, followed by any letter A through N, followed by any letter A through D, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AF, followed by D, F, L, N, or P followed by A, D, or F, followed by A, B, C, D, E, F, or K, followed by A or F, followed by B, C, D, E, F, G, H, or K, followed A, B, C, or N, followed by A, B, C, D, E, F, G, H, or N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter A through Q, followed by any letter A through N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AG, followed by C or D, followed by A, B, or F followed by C, D, E, or F, followed by A,B, or F, followed by A, C, D, E, or G, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by B, D, F, or N, followed by N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AM, followed by A, B, D, or E, followed by A, B, C, or D, followed by A, B, C, D, G, or H, followed by A or F, followed by B, D, E, F, H, or J, followed A,B,C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter B or N, followed N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AT, followed by B or F, followed by B, followed by A, C, E, or G followed by A, B, or F, followed by A, B, D, E, or F, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter B or N, followed by N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>615 Series</b> , RE(a)	Protective relays

*B. Mahlen*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L225502-33-13807102-1  
**Report Reference** E225502-20170831  
**Date** 6-Aug-2021

**Issued to:** ABB Oy, Distribution Solutions  
Muottitie 2A  
PO Box 699 Vaasa  
Finland 65101

**This is to certify that  
representative samples of** NRGU7 - Protective Relays Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L225502-33-13807102-1  
**Report Reference** E225502-20170831  
**Date** 6-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<b>5.0 Series</b> , H or 1 followed by AD, followed by D, or E, followed by A, D or F, followed by A, B, E or F, followed by A, followed by D, G, or H, followed A, B, or N, followed by any letter A through Q, followed by A, B, C, D, E, F, G or H, followed by any alphanumeric character, followed by B, followed by any letter A through N, followed by any letter A through D, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AF, followed by D, F, L, N, or P followed by A, D, or F, followed by A, B, C, D, E, F, or K, followed by A or F, followed by B, C, D, E, F, G, H, or K, followed A, B, C, or N, followed by A, B, C, D, E, F, G, H, or N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter A through Q, followed by any letter A through N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AG, followed by C or D, followed by A, B, or F followed by C, D, E, or F, followed by A,B, or F, followed by A, C, D, E, or G, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by B, D, F, or N, followed by N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AM, followed by A, B, D, or E, followed by A, B, C, or D, followed by A, B, C, D, G, or H, followed by A or F, followed by B, D, E, F, H, or J, followed A,B,C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter B or N, followed N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>5.0 Series</b> , H or 1 followed by AT, followed by B or F, followed by B, followed by A, C, E, or G followed by A, B, or F, followed by A, B, D, E, or F, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, E, or H, followed by any alphanumeric character, followed by B, followed by any letter B or N, followed by N, followed by 1 or 2, followed by additional suffix.	Protective relays
<b>615 Series</b> , RE(a)	Protective relays

*B. Mahlen*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

