

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L225502-13-71408102-2
Report Reference E225502-20180417
Date 6-Aug-2021

Issued to: ABB Oy, Distribution Solutions
Muottitie 2A
PO Box 699 Vaasa
Finland 65101

This is to certify that representative samples of NRGU - Protective Relays
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08, IEEE C37.90.1, Issue Date: 2012-08-30, IEEE C37.90.2, 1st Ed., Issue Date: 2004-09-24

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L225502-13-71408102-2
Report Reference E225502-20180417
Date 6-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
620 Series , Model RE, followed by F, M, T followed by 620, followed by IEC	Protective relays
2.0 Series , N, M, 5, or 6 followed by BF, followed by N, followed by A or D, followed by A, B, or C, followed by A or N, followed by A, B, C, or N, followed A, B, C, or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by any letter B or N, followed by C, D, F, L, P or N, followed by 1 or 2, followed by additional suffix.	Protective relays
2.0 Series , N, M, 5, or 6 followed by BM, followed by N, followed by A, or D, followed by A, B, C, or D, followed by A or N, followed by A, B, C, or N, followed A, B, C, or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by any letter B or N, followed N or S, followed by 1 or 2, followed by additional suffix.	Protective relays
2.0 Series , N, M, 5, or 6 followed by BT, followed by N, followed by A, followed by A, followed by A, or N, followed by A, B, C, or N, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by B, or N, followed by A, or N, followed by 1 or 2, followed by additional suffix.	Protective relays



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L225502-33-71408102-2
Report Reference E225502-20180417
Date 6-Aug-2021

Issued to: ABB Oy, Distribution Solutions
Muottitie 2A
PO Box 699 Vaasa
Finland 65101

**This is to certify that
representative samples of**

NRGU7 - Protective Relays Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L225502-33-71408102-2
Report Reference E225502-20180417
Date 6-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
620 Series , Model RE, followed by F, M, T followed by 620, followed by IEC	Protective relays
2.0 Series , N, M, 5, or 6 followed by BF, followed by N, followed by A or D, followed by A, B, or C, followed by A or N, followed by A, B, C, or N, followed A, B, C, or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by any letter B or N, followed by C, D, F, L, P or N, followed by 1 or 2, followed by additional suffix.	Protective relays
2.0 Series , N, M, 5, or 6 followed by BM, followed by N, followed by A, or D, followed by A, B, C, or D, followed by A or N, followed by A, B, C, or N, followed A, B, C, or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by any letter B or N, followed N or S, followed by 1 or 2, followed by additional suffix.	Protective relays
2.0 Series , N, M, 5, or 6 followed by BT, followed by N, followed by A, followed by A, followed by A, or N, followed by A, B, C, or N, followed A, B, C or N, followed by any letter A through N, followed by A, B, C, D, E, G, or H, followed by any alphanumeric character, followed by B, or D, followed by B, or N, followed by A, or N, followed by 1 or 2, followed by additional suffix.	Protective relays

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

