

JUSSI SURFACE LIGHT SWITCHES

PEP ecopassport[®] Environmental Product Declaration





Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"

ORGANIZATION		CONTACT INFORMATION	CONTACT INFORMATION				
BB Oy, Wiring Accessories E		Ella Helynranta - ella.helynranta@fi.abb.com					
ADDRESS	DDRESS WEBSITE						
Porvoon Sisäkehä 2, 061	00 Porvoo, Finland	www.new.abb.com					
STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE		
Approved	Public	ABBG-00218-V01.01-EN	ABBG-00218-V01.01-EN 1 en 1/				



ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.

Scan QR code for more information





General Information

Reference product	2TKA000190G1
Description of the product	Jussi surface switches are described as switch with screwless terminals, including switch insert and rocker. The terminals are for max 2 rigid wires.
Functional unit	Establish, support and interrupt for 20 years rated currents in normal conditions of circuit characterized by the current 16 A, for the operating voltage 250 V
Other products covered	The list of the other products covered by this PEP is on page 9

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00218-V01.01-EN	1	en	2/11
© Copyright 2023 ABB. All rights reserv	ed.				

g

Total weight of Reference $h = \frac{165\%}{100} + \frac{165\%}{100}$

Plastics as % of weight		Metals as % of weight		Others as % of v	veight
Name and CAS number	Weight%	Name and CAS number	Weight%	Name and CAS number	Weight%
PC	55,1	Stainless steel	4,5	Cardboard box (unit)	13,1
PA	10,9	Bronze	4,5	Cardboard box (macro)	5,4
-	x	Brass	3,2	-	_
-	x	Steel	3,1	-	_
-	-	Other metals	0,1	-	_

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00218-V01.01-EN	1	en	3/11

Constituent Materials

product



Additional Environmental Information

Manufacturing	Includes the environmental impacts associated with extraction and processing of the raw materials used to produce the product and its pacakging, transport to the manufacturing site and assembly.
Distribution	Includes the transportation in its pacakging from the manufacturer's last logistic platform to the distributor.
Installation	Installation stage includes the installation of the products made manually and the end of life of packaging.
Use	Energy consumption is calculated by following the use scenario of the corresponding PSR: a use time rate of 30% of the reference lifetime and a load rate of 50% of the maximum intensity.
End of life	Includes its transportation from the installation site to the final end of life treatment site, and end of life treatment processes. A value of 1000 km transport by lorry is used for the transportation.
Benefits and loads beyond the system boundaries	Prevented impacts of recycling materials.


STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE					
Approved	Public	ABBG-00218-V01.01-EN	1	en	4/11					
© Copyright 2023 ABB. All rights reserv	© Copyright 2023 ABB. All rights reserved.									

Environmental Impacts

Reference lifetime	20 years
Product category	Switches
Installation elements	End of life of packaging
Use scenario	Europe
Geographical representativeness	Global
Technological representativeness	Materials and processes data are specific for the production of the family of Jussi Surface Light Switches
Software and database used	SimaPro 9.3 and ecoinvent 3.8.
Energy model used	
Manufacturing	Finland energy mix at low voltage obtained from IEA data
Installation	Non-applicable
Use	Electricity, low voltage {FI} market for Cut-off, S Electricity, low voltage {SE} market for Cut-off, S Electricity, low voltage {IS} market for Cut-off, S
End of life	Recycling of product and packaging

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE					
Approved	Public	ABBG-00218-V01.01-EN	1	en	5/11					
© Copyright 2023 ABB. All rights reserve	© Copyright 2023 ABB. All rights reserved.									

Common base of mandatory indicators



% Environmental Impact per Life Cycle Stage of Reference Product

Environmental impact indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
GWP-total	kg CO₂ eq.	1,83E+00	7,97E-01	2,43E-03	8,67E-03	9,94E-01	2,88E-02	-4,30E-0
GWP-fossil	kg CO₂ eq.	1,79E+00	7,95E-01	2,43E-03	2,75E-03	9,65E-01	2,76E-02	-4,33E-01
GWP-biogenic	kg CO₂ eq.	2,38E-02	2,12E-03	2,05E-06	5,91E-03	1,45E-02	1,28E-03	2,17E-03
GWP-luluc	kg CO₂ eq.	1,54E-02	3,44E-04	1,00E-06	1,10E-06	1,51E-02	5,11E-06	-5,74E-0
GWP-fossil = Global GWP-biogenic = Glo GWP-luluc = Global	bal Warming Pc	tential bioger	ic	ge				
ODP	kg CFC-11 eq.	7,70E-08	1,88E-08	5,58E-10	6,41E-10	5,42E-08	2,83E-09	-2,24E-0
ODP = Depletion po	tential of the st	ratospheric oz	one layer					
AP AP = Acidification p	H+ eq. otential, Accum	1,04E-02 ulated Exceed	0,00E+00 ance	1,38E-05	1,19E-05	4,31E-03	5,41E-05	-1,57E-0
EP-freshwater	kg P eq.	7,75E-05	3,44E-04	1,66E-08	2,01E-08	3,81E-05	1,04E-07	-6,51E-C
EP-marine	kg N eq.	1,45E-03	7,50E-04	3,88E-06	6,07E-06	6,73E-04	1,93E-05	-2,93E-0
EP-terrestrial	mol N eq.	1,72E-02	8,76E-03	4,29E-05	3,97E-05	8,20E-03	1,85E-04	-2,93E-0
EP-freshwater = Eu EP-marine = Eutrop EP-terrestrial = Eutrop POCP	hication potent	ial, fraction of	nutrients reachi	ing marine end co		2,18E-03	5,56E-05	-1,05E-C
POCP = Formation	ootential of tror	o-spheric ozo	ne					
		0 0000000000000000000000000000000000000						
ADP-minerals & metals	kg Sb eq.	1,68E-04	1,53E-04	8,16E-09	6,41E-10	1,42E-05	4,36E-08	-5,90E-0
ADP-minerals & metals ADP-fossil	kg Sb eq. MJ	1,68E-04 4,25E+01	1,53E-04 1,01E+01	3,64E-02	6,41E-10 4,16E-02	1,42E-05 3,22E+01	4,36E-08 1,87E-01	
ADP-minerals & metals	kg Sb eq. MJ tals = Abiotic de	1,68E-04 4,25E+01 pletion potent	1,53E-04 1,01E+01 ial for non-fossi	3,64E-02				
ADP-minerals & metals ADP-fossil ADP-minerals & met	kg Sb eq. MJ tals = Abiotic de c deple-tion for f m ³ e depr.	1,68E-04 4,25E+01 pletion potent	1,53E-04 1,01E+01 ial for non-fossi	3,64E-02				-5,02E+0
ADP-minerals & metals ADP-fossil ADP-minerals & met ADP-fossil = Abiotic WDP	kg Sb eq. MJ tals = Abiotic de c deple-tion for f m ³ e depr. vation potential	1,68E-04 4,25E+01 pletion potent fossil resource	1,53E-04 1,01E+01 ial for non-fossi is potential	3,64E-02 I resources	4,16E-02 1,43E-04	3,22E+01	1,87E-01	-5,90E-C -5,02E+C -1,35E-O PAGE
ADP-minerals & metals ADP-fossil ADP-minerals & met ADP-fossil = Abiotic WDP WDP = Water Depriv	kg Sb eq. MJ tals = Abiotic de c deple-tion for f m ³ e depr. vation potential	1,68E-04 4,25E+01 pletion potent cossil resource 6,60E-01	1,53E-04 1,01E+01 ial for non-fossi is potential	3,64E-02 il resources 1,07E-04	4,16E-02 1,43E-04 JMBER	3,22E+01 3,78E-01	1,87E-01 9,52E-04	-5,02E+0 -1,35E-0

Common base of mandatory indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
PERE	MJ	9,73E+00	3,74E-01	5,00E-04	6,78E-04	9,35E+00	2,75E-03	-1,34E-01
PERM	MJ	1,80E-01	1,80E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	9,91E+00	5,55E-01	5,00E-04	6,78E-04	9,35E+00	2,75E-03	-1,34E-01
PENRE	MJ	4,04E+01	8,32E+00	3,64E-02	4,16E-02	3,18E+01	1,87E-01	-5,02E+00
PENRM	MJ	1,79E+00	1,79E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	4,22E+01	1,01E+01	3,64E-02	4,16E-02	3,18E+01	1,87E-01	-5,02E+00

Inventory flows indicator - Resource use indicators

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials

PERM = Use of renewable primary energy resources used as raw materials

PERT = Total Use of renewable primary energy resources

PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials

PENRM = Use of non-renewable primary energy resources used as raw materials

PENRT = Total Use of non-renewable primary energy resources

Inventory flows indicator - Indicators describing the use of secondary materials, water, and energy re-sources

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits		
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
FW	m³	4,05E-02	8,10E-03	3,96E-06	6,30E-06	3,23E-02	3,25E-05	-3,21E-03		
RSF = Use of renev	SM = Use of renewable secondary fuels NRSF = Use of non-renewable secondary fuels									

FW = Use of net fresh water

Inventory flows indicator - Waste category indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Hazardous waste disposed	kg	4,56E-05	3,22E-05	9,21E-08	1,08E-07	1,27E-05	4,86E-07	-2,02E-06
Non- hazardous waste disposed	kg	1,95E-01	7,42E-02	1,79E-03	3,66E-03	9,62E-02	1,94E-02	-1,63E-02
Radioactive waste disposed	kg	3,78E-04	1,91E-05	2,47E-07	2,81E-07	3,57E-04	1,25E-06	-8,91E-07

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE		
Approved	Public	ABBG-00218-V01.01-EN	1	en	7/11		
© Copyright 2023 ABB. All rights reserv	© Copyright 2023 ABB. All rights reserved.						

Common base of mandatory indicators

5		•						
Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Components for re- use	kg	1,26E-03	1,26E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	7,30E-02	1,18E-03	0,00E+00	1,33E-02	0,00E+00	5,86E-02	0,00E+00
Materials for energy recovery	kg	1,14E+00	1,13E+00	0,00E+00	1,49E-03	0,00E+00	5,78E-03	0,00E+00
Exported energy	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Inventory flows indicator - Output flow indicators

Inventory flow indicator - other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Biogenic carbon content of the product	kg of C	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Biogenic carbon content of the associated packaging	kg of C	8,13E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00218-V01.01-EN	1	en	8/11
© Copyright 2023 ABB. All rights reserv	ed.				

Optional indicators

Environmental indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Total use of primary energy during the life cycle	MJ	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
Emissions of fine particles	incidence of diseases	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
lonizing radiation, human health	kBq U235 eq.	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
Ecotoxicity (fresh water)	CTUe	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
Human toxicity, car-cinogenic effects	CTUh	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
Human toxicity, non-carcinogenic effects	incidence of diseases	5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00
Impact related to land use/soil quality		5,00E+00	5,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00	1,00E+00

Other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Environmental Cost Indicator	€	5,000E+00	5,000E+00	1,000E+00	1,000E+00	1,000E+00	1,000E+00	1,000E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00218-V01.01-EN	1	en	8/11
© Copyright 2023 ABB. All rights reserve	ed.				

Extrapolation Factors

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

Product name	Manu- facturing	Distri- bution	Installation	Use	End of life	Benefits
2TKA00001236	1,10	1,10	0,88	1,00	1,06	1,06
2TKA00001288	1,03	1,03	0,88	1,00	1,01	1,01
2TKA00002614	1,09	1,09	0,88	0,67	1,05	1,05
2TKA000126G1	1,00	1,00	1,00	0,67	1,00	1,00
2TKA000133G1	1,11	1,11	1,00	0,67	1,09	1,09
2TKA000136G1	1,09	1,09	1,00	0,67	1,07	1,07
2TKA000137G1	1,06	1,06	1,00	1,28	1,05	1,05
2TKA000148G1	1,05	1,05	1,09	0,67	1,06	1,06
2TKA000163G1	1,10	1,10	1,00	1,00	1,08	1,08
2TKA000181G1	1,13	1,13	1,00	1,00	1,11	1,11
2TKA000190G1	1,00	1,00	1,00	1,00	1,00	1,00
2TKA000203G1	1,09	1,09	1,00	1,00	1,07	1,07

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00218-V01.01-EN	1	en	9/11
© Copyright 2023 ABB. All rights reserve	ed.				

Environmental Impact Indicator Glossary

Impact indicators

Indicator	Description	Distri- bution
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO₂ eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m³ e depr.

Resource use indicators

Indicator	Description	Distri- bution
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE			
Approved	Public	ABBG-00218-V01.01-EN	1	en	10/11			
© Copyright 2023 ABB. All rights reserved.								

Registration number:	Drafting Rules:	PCR-ed4-EN-2021 09 06	
ABBG-00218-V01.01-EN	Supplemented by:	PSR-0005-ed2-EN-2016 03 29	
Verifier accreditation number:	Information and reference documents:		
VH26	www.pep-ecopassport.org		
Date of issue: 05/2023	Validity period:	5 years	
Internal O	External		
Independent verification of the declaration and data, in cc 2006			
The PCR review was conducted by a panel of experts chair (DDemain)	eco		
PEP are compliant with XP C08-100-1 :2016 or EN 50693:20 The elements of the present PEP cannot be compared with program	PORT.		
Document in compliance with ISO 14025: 2006 "Environme declarations. Type III environmental declarations"	ntal labels and		

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE					
Approved	Public	ABBG-00218-V01.01-EN	1	en	11/11					
© Copyright 2023 ABB. All rights reserved.										