

Doc. no. 2CDU 504 104 D0201

Rev. ind. 01

Date 2014-11-26
From Peter Heilig
Dept. DESTO/GT

Phone +49 6221 701-728 Fax +49 6221 701-355

E-mail peter.heilig@de.abb.com

### **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial <sup>IT</sup> Enabled level 0.

Product name	Weather Unit, MDRC
	WZ/S 1.3.1.2
ABB Identity number	2CDG 110 184 R0001
	2CDG 110 184 R0011
	2CDG 110 184 R0021
Information provided by	Peter Heilig
(Name and e-mail address)	peter.heilig@de.abb.com
Business area	Low Voltage Products – ATAP
Date	2014-11-26

## 1. Related documents

Industrial IT Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial <sup>IT</sup> Certification Guideline, 3BSE024526

Industrial <sup>IT</sup> Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

#### Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

# Group Function Sustainability Affairs

Doc. no. 2CDU 504 104 D0201

Rev. ind. 01

Date 2014-11-26

# 2. Environmental Information

## 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	<b>Quantity/unit</b> Optional <sup>(1)</sup>
Lead	Batteries, cables, solder		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		<b>*</b>	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		<b>√</b>	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

## 2.1.1Printed circuit boards

Specify the amount of printed circuit board	s used in the product by	declaring the total
board surface:		

,	4	-12
<b>√</b>	- 1	dm <sup>2</sup>
•	<b>`</b>	ulli

 $\Box$  1-10 dm<sup>2</sup>

 $\Box$  > 10 dm<sup>2</sup>

□ No printed circuit boards used in the product

Doc. no. 2CDU 504 104 D0201

Rev. ind. 01

Date 2014-11-26

2.2	Recy	cling	inforr	mation
-----	------	-------	--------	--------

۷.۷				
	Is recycling information for the product available?			
		✓	Yes	Ref. Document:
			No	
			please : ial is pre	specify, in the table below, the component/part/physical position where the esent:
Mater	ial			Component/part/physical position
Lead				
Cadmiu	ım			
Mercur	У			
Berylliu	m			
Bromin	ated flam	ne retarda	ınts	
HCFCs				
SF6, su	ılphurhex	afluoride		
Polyvinyl chloride, PVC				
2.3	Ene	rgy u	se an	d/or losses during the operation of the product
	Is energy use and/or losses during operation of the product specified in the product documentation?			
			Yes	Ref. Document : Technical data sheet
			No	
		✓	Not re	levant