Certificate Number UL-CA-L48139-418-31218891-7

Report Reference E48139-19881213

Date 16-Aug-2022

Issued to: ABB Stotz-Kontakt GmbH

Eppelheimer Str 82 Heidelberg 69123

Germany

This is to certify that representative samples of

NKCR8 - Auxiliary Devices Certified for Canada -

Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014-04-

04, Revised 2018-05, CSA C22.2 NO. 60947-1-13, 2nd Ed.,

Issue Date: 2013-07-31

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number UL-CA-L48139-418-31218891-7

Report Reference E48139-19881213

Date 16-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CA6, followed by 11K, 11E, 11M or 11N, followed by F	Auxiliary switches
or P.	
K6 or KC6, followed by 40E, 31Z or 22Z, followed by F	Auxiliary devices
or P, followed by 1.4, 1.7, 2.4 or 2.48.	•
LB6	Accessories, pin terminal adaptors
LB6CA	Accessories, pin terminal adaptors

Certificate Number UL-US-L48139-218-31218891-7

Report Reference E48139-19881213

Date 16-Aug-2022

Issued to: ABB Stotz-Kontakt GmbH

Eppelheimer Str 82 Heidelberg 69123

Germany

This is to certify that representative samples of

NKCR2 - Auxiliary Devices - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision

Date: 2017-10-17, UL 60947-1, 5th Ed., Issue Date: 2013-

07-31, Revision Date: 2019-05-06

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Rruce Mahrenholz Director North American Certification Program

UL LLC

Certificate Number UL-US-L48139-218-31218891-7

Report Reference E48139-19881213

Date 16-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CA6, followed by 11K, 11E, 11M or 11N, followed by F	Auxiliary switches
or P.	
K6 or KC6, followed by 40E, 31Z or 22Z, followed by F	Auxiliary devices
or P, followed by 1.4, 1.7, 2.4 or 2.48.	-
LB6	Accessories, pin terminal adaptors
LB6CA	Accessories, pin terminal adaptors