Certificate Number Report Reference Date	UL-CA-L48139-389-60507991-6 E48139-19970506 16-Aug-2022
Issued to:	ABB Stotz-Kontakt GmbH Eppelheimer Str 82 Heidelberg 69123 Germany
This is to certify that representative samples of	NKCR7 - Auxiliary Devices Certified for Canada See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07- 31, CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014- 04-04, Revised 2018-05
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Barnally

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <u>http://ul.com/aboutul/locations/</u>

 Certificate Number
 UL-CA-L48139-389-60507991-6

 Report Reference
 E48139-19970506

 Date
 16-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DB80	Terminal block adapters, open type
TA42DU, , followed by -25, -32 or -42, followed by -20, may be followed by M.	Overload relays, open-type, Class 20
TA42DU, followed by -25, -32 or -42, may be followed by M.	Overload relays, open-type, Class 10
TA75DU, , followed by -25, -32, -42, -52, -63 or -80, may be followed by M, may be followed by -V1000.	Overload relays, open-type, Class 10
TA75DU, followed by -25,, -32, -42, -52, -63 or -80, followed by -20, may be followed by M.	Overload relays, open-type, Class 20

Bampleg

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

Certificate Number Report Reference Date	UL-US-L48139-189-60507991-6 E48139-19970506 16-Aug-2022
Issued to:	ABB Stotz-Kontakt GmbH Eppelheimer Str 82 Heidelberg 69123 Germany
This is to certify that representative samples of	NKCR - Auxiliary Devices See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06, UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision Date: 2017-10-17
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Barnelly

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

 Certificate Number
 UL-US-L48139-189-60507991-6

 Report Reference
 E48139-19970506

 Date
 16-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
DB80	Terminal block adapters, open type
TA42DU, , followed by -25, -32 or -42, followed by -20,	Overload relays, open-type, Class 20
may be followed by M.	
TA42DU, followed by -25, -32 or -42, may be followed by	Overload relays, open-type, Class 10
М.	
TA75DU, , followed by -25, -32, -42, -52, -63 or -80, may	Overload relays, open-type, Class 10
be followed by M, may be followed by -V1000.	
TA75DU, followed by -25,, -32, -42, -52, -63 or -80,	Overload relays, open-type, Class 20
followed by -20, may be followed by M.	

Bampleg

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>