# **CAUTION:**

HIGH CENTER OF GRAVITY - USE CAUTION WHEN MOVING CABINET

ONLY PERSONNEL TRAINED TO MOVE HEAVY EQUIPMENT SHOULD HANDLE THESE BATTERY

USE A FORKLIFT OR SIMILAR DEVICE WITH APPROPRIATE LIFTING CAPACITY TO LIFT THE CABINET.

NOTE THE CENTER OF GRAVITY MEASUREMENT

MOVE SLOWLY WHEN HANDLING. AVOID BOUNCING THE CABINET WHILE MOVING. THE CABINET COULD FALL FORWARD OR SIDEWAYS IF HANDLED ROUGHLY.

CABINET SYSTEMS ARE HEAVY AND COULD WEIGH AS MUCH AS 9,000 LBS PER CABINET OR MORE.

## STEPS FOR BATTERY CABINET INSTALLATION PROCEDURE


- TO HELP PREVENT DAMAGE, ALL PANELS FROM ALL BATTERY CABINETS SHOULD BE LABELED TO THEIR PROSPECTIVE CABINET, REMOVED AND PUT ASIDE IN A SAFE LOCATION WHILE MOVING THE CABINETS TO FINAL INSTALL POSITION.
- INSTALL AND ALIGN THE FIRST CABINET, THEN EACH CABINET ADJACENT TO EACH OTHER. 2. REFER TO PAGE 3 FOR PROPER LINE UP.
- ROUTE THE POWER CABLES AS SHOWN ON SHEET 4. 3.
- INSTALL SIDE PANEL ONTO THE OPEN SIDES OF THE BATTERY CABINET. INSTALL THE DOORS AND LOCK WHEN NOT OPEN FOR MAINTENANCE.
- THE CABINET MUST BE ANCHORED TO THE FLOOR FOR SEISMIC SENSITIVE AREAS. AND TO MAINTAIN THE SEISMIC INTEGRITY OF THE BATTERY CABINET. ANCHORING HARDWARE IS NOT INCLUDED. CONTACT INTRAPACK TO PURCHASE ANCHORING HARDWARE

## CAUTION: HIGH VOLTAGE, RISK OF ELECTRICAL SHOCK

- FOLLOW ALL SAFETY PRECAUTIONS WHEN WORKING ON THIS SYSTEM
- ALWAYS WEAR PROPER SAFETY EQUIPMENT INCLUDING EYE PROTECTION

#### > IMPORTANT<

\* REVIEW THE DRAWINGS AND READ ALL INFORMATION BEFORE PROCEEDING WITH MOVING AND INSTALLING THESE BATTERY CABINETS



TILT FORKS BACK WHEN MOVING

# MOVING A BATTERY CABINET DO NOT LIFT THE CABINET HIGHER THAN NECESSARY TO CLEAR THE FLOOR WHEN MOVING



THE I	NFORMATIO	N CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTRAPACK INDUSTRIES INC. ANY REPROD	UCTION IN PART OR WHOLE WITHO	UT THE WRITTEN PERMISSION OF I	INTRAPACK INDUSTRIES INC. IS PRO	OHIBITED.
NO.	DATE	REVISION DESCRIPTION		® 10650 MARKISON ROAD	SYSTEM WEIGHT: 42,355 lbs	
			- IntroDook	DALLAC TV 75220		

FROM FLOOR TO CABINET LIFTING POINT IS 3.125"


WHEN LIFTING CABINETS.

SPREAD FORKS AS WIDE AS POSSIBLE

NO. DATE REVISION DESCRIPTION			SYSTEM WE	EIGHT: 42,355	lbs		ADJACENT REMOTE TOP TERMINAL	1
	<b>IntraPack</b>	DALLAS, TX. 75238	JOB NO.	N/A	DATE:	02/01/2021	BATTERY CABINET SYSTEM	05
	WWW.INTRAPACK.COM	PHONE: 214-348-7105 EMAIL: SALES@INTRAPACK.COM	QUOTE NO.	IPC20-1036	DRAWN BY:	VZ	DRAWING NO.	
	WWW.INTRAPACK.COM	© INTRAPACK 2020	SCALE:	N.T.S.	APPR. BY:		IP5-280P545-480-7-7D600-AR-JC	6

# CAUTION: HIGH VOLTAGE, RISK OF ELECTRICAL SHOCK

- FOLLOW ALL SAFETY PRECAUTIONS WHEN WORKING ON THIS SYSTEM
- ALWAYS WEAR PROPER SAFETY EQUIPMENT INCLUDING EYE PROTECTION



ISOMETRIC BATTERY CABINET VIEW



THE	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTRAPACK INDUSTRIES INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INTRAPACK INDUSTRIES INC. IS PROHIBITED.												
NO.	DATE	REVISION DESCRIPTION		® 10650 MARKISON ROAD	SYSTEM WE	EIGHT: 42,355	lbs		ADJACENT REMOTE TOP TERMINAL	2			
			Intrapack	DALLAS, TX. 75238	JOB NO.	N/A	DATE:	02/01/2021	BATTERY CABINET SYSTEM	_			
				PHONE: 214-348-7105	QUOTE NO.	IPC20-1036	DRAWN BY	V7	DRAWING NO.	OF			
			WWW.INTRAPACK.COM	<ul><li>EMAIL: SALES@INTRAPACK.COM</li><li>© INTRAPACK 2020</li></ul>	SCALE:	N.T.S.	APPR. BY:		IP5-280P545-480-7-7D600-AR-JC	6			
				© INTRAPACK 2020	SCALE.	14.1.5.	AFFR. DT.		1F3-200F343-400-7-1 D000-AR-3C				

#### CAUTION: HIGH VOLTAGE, RISK OF ELECTRICAL SHOCK FOLLOW ALL SAFETY PRECAUTIONS WHEN WORKING ON THIS SYSTEM ALWAYS WEAR PROPER SAFETY EQUIPMENT INCLUDING EYE PROTECTION 286.20" 38.00" 20.00" 5 8.25" REMOVE BATTERY CABINET **TOP VIEW** BREAKER ACCESSIBLE TOP TO ACCESS CABLE TRAY THROUGH DOOR (TYP) 30.91" [###] H 111111111111111111 111111111111111111 111111111111111111 111111111111111111 ..... 1181818181818181818 11000100010111111111 1181818181818181818 ..... 1100010001111111111 11000100010111111111 11111111111111111111 1111111111111111111111 11111111111111111111111 1111111111111111111 11111111111111111111111 ..... 11000100010111111111 1111111111111111111111 111111111111111111111 1111111111111111111111 111111111111111111111111111111111111 11111111111111111111 ..... ..... ...... ...... ...... ...... ...... CABINET A CABINET B CABINET C <u>JC</u> CABINET D CABINET E CABINET F CABINET G FRONT VIEW SIDE VIEW 24.00" 32.25" \Ø.875" **BOTTOM VIEW** MEGAFLEX UPS BATTERY SKU MGD1600-7-49-ALT THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTRAPACK INDUSTRIES INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INTRAPACK INDUSTRIES INC. IS PROHIBITED. NO. DATE REVISION DESCRIPTION 10650 MARKISON ROAD SYSTEM WEIGHT: 42,355 lbs ADJACENT REMOTE TOP TERMINAL 3 DALLAS, TX. 75238 **BATTERY CABINET SYSTEM** JOB NO. N/A DATE: 02/01/2021 OF PHONE: 214-348-7105 QUOTE NO. IPC20-1036 DRAWN BY: VΖ DRAWING NO. EMAIL: SALES@INTRAPACK.COM WWW.INTRAPACK.COM 6 © INTRAPACK 2020 SCALE: N.T.S. APPR. BY: IP5-280P545-480-7-7D600-AR-JC

DC POWER CABLES FROM CJC TO THE UPS PROVIDED BY OTHERS. REFER TO NEC FOR PROPER AWG SIZE

TERMINAL BLOCK TO TERMINAL BLOCK AND TERMINAL BLOCK TO UPS CONTROL WIRING WILL BE 16-20 GA STRANDED, PROVIDED BY OTHERS


POSITIONING OF COMPONENTS ARE FOR ILLUSTRATION PURPOSES AND MAY NOT BE REPRESENTED IN THE EXACT LOCATION INDICATED.

# CAUTION: HIGH VOLTAGE, RISK OF ELECTRICAL SHOCK

- FOLLOW ALL SAFETY PRECAUTIONS WHEN WORKING ON THIS SYSTEM
- ALWAYS WEAR PROPER SAFETY EQUIPMENT INCLUDING EYE PROTECTION

## **GENERAL NOTES:**

- ONLY QUALIFIED TECHNICIANS SHOULD PERFORM INSTALLATION OR MAINTENANCE OF THIS BATTERY SYSTEM.
- ALL TOOLS SHOULD BE INSULATED TO PREVENT ELECTRICAL 2. SHOCK.
- OPEN DISCONNECTS BEFORE INSTALLATION OR MAINTENANCE.
- CHECK DC VOLTAGE AT BATTERY OUTPUT AND UPS OUTPUT TO ENSURE PROPER POLARITY BEFORE MAKING FINAL CONNECTIONS.



## **ELECTRICAL ILLUSTRATION**

MEGAFLEX UPS BATTERY SKU MGD1600-7-49-ALT

OF

6

ADJACENT REMOTE TOP TERMINAL BATTERY CABINET SYSTEM

DRAWING NO.

IP5-280P545-480-7-7D600-AR-JC


_ ''	1111	LE INI CHIMATION CONTAINED IN THIS DIRAWING IS THE SOLET ROLL INTO ANY INDUSTRIES INC. IS INCLUDED THE WINTER ENVIRONMENT ANY ON WHOLE WITHOUT THE WINTER ENVIRONMENT AND ANY ON WHOLE WITH THE WINTER ENVIRONMENT AND ANY ON WHOLE WITH THE WINTER ENVIRONMENT AND ANY ON WHOLE WHOLE WIN										
N	10.	DATE	REVISION DESCRIPTION	@	10650 MARKISON ROAD	SYSTEM WE	IGHT: 42,355	lbs		1		
				IntraPack	DALLAS, TX. 75238	JOB NO.	N/A	DATE:	02/01/2021	1		
				I IIIU aratr	PHONE: 214-348-7105				1			


L.	•••	 THE FIGURE 1 CONTROL OF THE FIRST CONTROL OF THE FI		O 10000 WARRISON ROAD	SISILIVI VVL	10111. 42,000	100	
L			Intrapack	DALLAS, TX. 75238	JOB NO.	N/A	DATE:	02/01/2021
			IIIILI AF AUN	PHONE: 214-348-7105	002.10.			
				1 110NL. 214-340-7103	QUOTE NO.	IPC20-1036	DRAWN BY:	\/7
			WWW.INTRAPACK.COM	EMAIL: SALES@INTRAPACK.COM	A QUOTE NO.	IFC20-1030	DRAWN DT.	٧Z
			WWW.IIVTIXAI ACK.COM	© INTRAPACK 2020	SCALE:	N.T.S.	APPR. BY:	
				© 11411 0 11 7 COTC 2020	OO/ (EE.	14.1.0.	7111111. 111.	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTRAPACK INDUSTRIES INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INTRAPACK INDUSTRIES INC. IS PROHIBITED


## CAUTION: HIGH VOLTAGE, RISK OF ELECTRICAL SHOCK

- FOLLOW ALL SAFETY PRECAUTIONS WHEN WORKING ON THIS SYSTEM
- ALWAYS WEAR PROPER SAFETY EQUIPMENT INCLUDING EYE PROTECTION









MEGAFLEX UPS BATTERY SKU MGD1600-7-49-ALT

> of 6

1	NO.	DATE	REVISION DESCRIPTION		10650 MARKISON ROAD	SYSTEM WE	IGHT: 42,355	lbs		ADJACENT REMOTE TOP TERMINAL
				IntraPack	DALLAS, TX. 75238	JOB NO.	N/A	DATE:	02/01/2021	BATTERY CABINET SYSTEM
				IIILI aratn	PHONE: 214-348-7105	OLIOTE NO	IPC20-1036	DRAWN BY:	VZ	DRAWING NO.
				WWW.INTRAPACK.COM	EMAIL: SALES@INTRAPACK.COM	QUOTE NO.	11 020-1000	DIVAVIII DI.	٧2	DIAWING NO.
					© INTRAPACK 2020	SCALE:	N.T.S.	APPR. BY:		IP5-280P545-480-7-7D600-AR-JC

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTRAPACK INDUSTRIES INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INTRAPACK INDUSTRIES INC. IS PROHIBITED.

#### ADJACENT BATTERY CABINET SYSTEM:

ALL CABLE HARNESSES ARE PROVIDED IN BOTH THE BATTERY CABINET TO BATTERY CABINET CONNECTION INCLUDING THE BATTERY CABINET CABLE HARNESS TO THE UPS.


# ADJACENT REMOTE BATTERY CABINET SYSTEM:

ALL CABLE HARNESSES FROM BATTERY CABINET TO BATTERY CABINET WILL BE PROVIDED. THE BATTERY CABINET TO UPS CABLE HARNESS WILL BE PROVIDED BY THE INSTALLING CONTRACTOR.

## REMOTE BATTERY CABINET SYSTEM:

ALL CABLE HARNESSES FROM BATTERY CABINET TO BATTERY CABINET AND BATTERY CABINET TO UPS WILL BE PROVIDED BY THE INSTALLING CONTRACTOR.

## **CONTROL WIRING ROUTING**



DALLAS, TX. 75238

© INTRAPACK 2020

WWW.INTRAPACK.COM

PHONE: 214-348-7105

EMAIL: SALES@INTRAPACK.COM

JOB NO.

QUOTE NO.

SCALE:

N/A

N.T.S.

IPC20-1036 DRAWN BY:

DATE:

APPR. BY:

02/01/2021

VΖ

**BATTERY CABINET SYSTEM** 

DRAWING NO.

IP5-280P545-480-7-7D600-AR-JC

OF

6