## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2139468-4
Report Reference E312527-19951212

Date 3-Nov-2022

Issued to: ABB France

2 rue d'Arsonval Chassieu 69680

France

This is to certify that representative samples of

NLDX7 - Motor Controllers, Magnetic Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014-04-

04, Revised 2018-05

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2139468-4
Report Reference E312527-19951212

**Date** 3-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A45-22-00	Magnetic Motor Controllers
A45-40-00	Magnetic Motor Controllers
A45M, followed by a Number.	Magnetic Motor Controllers
A45R, followed by a Number.	Magnetic Motor Controllers
A50, followed by -30, may be followed by -00, 11 or -22,	Magnetic Motor Controllers
may be followed by RA	_)( U  )( U  )( U  )( U  )(
A50M, followed by a Number.	Magnetic Motor Controllers
A50N2M, followed by a Number.	Magnetic Motor Controllers
A50N2R, followed by a Number.	Magnetic Motor Controllers
A50R, followed by a Number.	Magnetic Motor Controllers
A63, followed by -30, may be followed by -00, 11 or -22,	Magnetic Motor Controllers
may be followed by RA	Mir. Mir. Mir. Mir. M
A63M, followed by a Number.	Magnetic Motor Controllers
A63R, followed by a Number.	Magnetic Motor Controllers
A75, followed by -30, may be followed by -00, 11 or -22,	Magnetic Motor Controllers
may be followed by RA	YU. YU. YU. YU. Y
A75M, followed by a Number.	Magnetic Motor Controllers
A75N3M, followed by a Number.	Magnetic Motor Controllers
A75N3R, followed by a Number.	Magnetic Motor Controllers
A75R, followed by a Number.	Magnetic Motor Controllers
AE45M, followed by a Number.	Magnetic Motor Controllers
AE45R, followed by a Number.	Magnetic Motor Controllers
AE50M, followed by a Number.	Magnetic Motor Controllers
AE50N2M, followed by a Number.	Magnetic Motor Controllers
AE50N2R, followed by a Number.	Magnetic Motor Controllers
AE50R, followed by a Number.	Magnetic Motor Controllers
AE63M, followed by a Number.	Magnetic Motor Controllers
AE63R, followed by a Number.	Magnetic Motor Controllers
AE75M, followed by a Number.	Magnetic Motor Controllers
AE75N3M, followed by a Number.	Magnetic Motor Controllers
AE75N3R, followed by a Number.	Magnetic Motor Controllers
AE75R, followed by a Number.	Magnetic Motor Controllers
AF45M, followed by a Number.	Magnetic Motor Controllers
AF45R, followed by a Number.	Magnetic Motor Controllers
AF50M, followed by a Number.	Magnetic Motor Controllers
AF50N2M, followed by a Number.	Magnetic Motor Controllers
AF50N2R, followed by a Number.	Magnetic Motor Controllers
AF50R, followed by a Number.	Magnetic Motor Controllers
AF63M, followed by a Number.	Magnetic Motor Controllers



Bruce Mahrenholz, Director North American Certification Program

## CERTIFICATE OF COMPLIANCE

 Certificate Number
 UL-CA-2139468-4

 Report Reference
 E312527-19951212

Date 3-Nov-2022

AFOOD CILL III AL I	NA C NA C O C II
AF63R, followed by a Number.	Magnetic Motor Controllers
AF75M, followed by a Number.	Magnetic Motor Controllers
AF75N3M, followed by a Number.	Magnetic Motor Controllers
AF75N3R, followed by a Number.	Magnetic Motor Controllers
AF75R, followed by a Number.	Magnetic Motor Controllers
TAE45M, followed by a Number.	Magnetic Motor Controllers
TAE45R, followed by a Number.	Magnetic Motor Controllers
TAE50M, followed by a Number.	Magnetic Motor Controllers
TAE50R, followed by a Number.	Magnetic Motor Controllers
TAE63M, followed by a Number.	Magnetic Motor Controllers
TAE63R, followed by a Number.	Magnetic Motor Controllers
TAE75M, followed by a Number.	Magnetic Motor Controllers
TAE75R, followed by a Number.	Magnetic Motor Controllers
UA50, followed by -30, followed by -00, -11 or -22, may	Magnetic Motor Controllers
be followed by RA.	
UA50M, followed by a Number.	Magnetic Motor Controllers
UA50R, followed by a Number.	Magnetic Motor Controllers
UA63, followed by -30, followed by -00, -11 or -22, may	Magnetic Motor Controllers
be followed by RA.	- MIII-MII- MIII-M
UA63M, followed by a Number.	Magnetic Motor Controllers
UA63R, followed by a Number.	Magnetic Motor Controllers
UA75, followed by -30, followed by -00, -11 or -22, may be followed by RA.	Magnetic Motor Controllers
UA75M, followed by a Number.	Magnetic Motor Controllers
UA75R, followed by a Number.	Magnetic Motor Controllers
UAF50, Across-the-line Non-reversing Contactors for	Magnetic Motor Controllers
use in Industrial Applications, Open Type	
UAF63, Across-the-line Non-reversing Contactors for use in Industrial Applications, Open Type	Magnetic Motor Controllers
UAF75, Across-the-line Non-reversing Contactors for use in Industrial Applications, Open Type	Magnetic Motor Controllers



