## CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date	UL-CA-L252354-331-82119002-5 E252354-20091128 14-Nov-2022
Issued to:	ABB France 11 Rue d'Arsonval Chassieu 69680 France
This is to certify that representative samples of	NKCR7 - Auxiliary Devices Certified for Canada See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 60947-5-1-14, 1st Ed., Issue Date: 2014- 03-01
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Oebrah Jenning - Course Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

## CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-CA-L252354-331-82119002-5 E252354-20091128 14-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BA4	Contacts modules, open type
BX4	Contacts modules, open type
BX4-CA	Contacts modules, open type
CA4-01S	Contacts modules, front mounted, one pole, open type
CA4-10S	Contacts modules, front mounted, one pole, open type
CAL4-11	Contacts modules, lateral mounted, two poles, open type
CAL4-11S	Contacts modules, lateral mounted, two poles, open type
CAT4-11	Contacts modules, front mounted, two poles, open type
CAT4-11E	Contacts modules, front mounted, two poles, open type
CAT4-11ES	Contacts modules, front mounted, two poles, open type
CAT4-11M	Contacts modules, front mounted, two poles, open type
CAT4-11MS	Contacts modules, front mounted, two poles, open type
CAT4-11MU	Contacts modules, front mounted, two poles, open type
CAT4-11S	Contacts modules, front mounted, two poles, open type
CAT4-11US	Contacts modules, front mounted, two poles, open type
CC4-01	Contacts modules, front mounted, one pole, open type
CC4-01S	Contacts modules, front mounted, one pole, open type
CC4-10	Contacts modules, front mounted, one pole, open type
CC4-10S	Contacts modules, front mounted, one pole, open type
Front mounted, one pole Cat. No. H04N, followed by - FL, followed by –01 or –10.	Auxiliary Devices
H04N-F, Cat. No. H04N, followed by -F, followed by -01 or -10.	Auxiliary Devices

Oebrah Jenning - Coine Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

## CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-CA-L252354-331-82119002-5 E252354-20091128 14-Nov-2022

H04N-L, Cat. No. H04N, followed by -L, followed by -11.

**Auxiliary Devices** 

Olbrah Jenning - Corner Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

