CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L252354-131-82119002-6

Report Reference E252354-20091128

Date 14-Nov-2022

Issued to: ABB France

11 Rue d'Arsonval Chassieu 69680

France

This is to certify that NKCR - Auxiliary Devices representative samples of

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision

Date: 2019-05-06, UL 60947-5-1, 3rd Ed., Issue Date:

2014-03-28

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

albrah Jennings-Course

(UL)

Deborah Jennings-Conner, VP Regulatory Services

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L252354-131-82119002-6

Report Reference E252354-20091128 Date

14-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BA4	Contacts modules, open type
BX4	Contacts modules, open type
BX4-CA	Contacts modules, open type
CA4, followed by -04, -13, -22, -31 or -40, may be followed by E, M, N or U, followed by S.	Contacts modules, front mounted, four poles, open type
CA4 followed by -04, -13, -22, -31, or -40, may be, followed by E, M, N or U followed by K.	Front mounted, four poles
CA4-01, , may be followed by -T.	Contacts modules, front mounted, one pole open type
CA4-01K	Front mounted, one pole
CA4-01S	Contacts modules, front mounted, one pole open type
CA4-04, may be followed by E, M, N, U or SP	Contacts modules, front mounted, four poles, open type
CA4-10, , may be followed by -T.	Contacts modules, front mounted, one pole open type
CA4-10K	Front mounted, one pole
CA4-10S	Contacts modules, front mounted, one pole open type
CA4-13, may be followed by E, M, N, U or SP	Contacts modules, front mounted, four poles, open type
CA4-22, may be followed by E, M, N, U or SP	Contacts modules, front mounted, four poles, open type
CA4-31, may be followed by E, M, N, U or SP	Contacts modules, front mounted, four poles, open type
CA4-40, may be followed by E, M, N, U or SP	Contacts modules, front mounted, four poles, open type
CAL-11KT	Contacts modules, lateral mounted, two poles, open type
CAL4-11	Contacts modules, lateral mounted, two poles, open type
CAL4-11K	Lateral mounted, two poles
CAL4-11S	Contacts modules, lateral mounted, two poles, open type
CAL4-11ST	Contacts modules, lateral mounted, two poles, open type
CAL4-11T	Contacts modules, lateral mounted, two poles, open type



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L252354-131-82119002-6

Report Reference E252354-20091128

Date 14-Nov-2022

CAT4-11	Contacts modules, front mounted, two poles, open type
CAT4-11E	Contacts modules, front mounted, two poles, open type
CAT4-11ES	Contacts modules, front mounted, two poles, open type
CAT4-11M	Contacts modules, front mounted, two poles, open type
CAT4-11MS	Contacts modules, front mounted, two poles, open type
CAT4-11MU	Contacts modules, front mounted, two poles, open type
CAT4-11S	Contacts modules, front mounted, two poles, open type
CAT4-11US	Contacts modules, front mounted, two poles, open type
CC4-01	Contacts modules, front mounted, one pole, open type
CC4-01K	Front mounted, one pole
CC4-01S	Contacts modules, front mounted, one pole, open type
CC4-01ST	Contacts modules, front mounted, one pole, open type
CC4-01T	Contacts modules, front mounted, one pole, open type
CC4-10	Contacts modules, front mounted, one pole, open type
CC4-10K	Front mounted, one pole
CC4-10S	Contacts modules, front mounted, one pole, open type
CC4-10ST	Contacts modules, front mounted, one pole, open type
CC4-10T	Contacts modules, front mounted, one pole, open type
Front mounted, one pole Cat. No. H04N, followed by - FL, followed by -01 or -10.	Auxiliary Devices
H04N-F, Cat. No. H04N, followed by -F, followed by -01 or -10.	Auxiliary Devices
H04N-L, Cat. No. H04N, followed by -L, followed by -11.	Auxiliary Devices

Debrah Jennings-Course





